

## SLOPING SCREEN ROL®

“The sloping screen ROL®, our classic, has a very good ability to screen any kind of product from 1 to 300 mm, wet or dry. „



## 1 | CUSTOMIZED DESIGN


All design criteria such as speed, cuts, particle size distribution, humidity, temperature, etc. are integrated to fit the basic parameters of our machines like the surface, the amplitude and the frequency of vibration, the slope and the correct equipment (water spraying device, special cloths, cleaning systems, etc.).


## 2 | APPLICATIONS

- Public works and mining industry
- Chemical
- Food
- Environment
- Metallurgy

## 3 | USES

- **SIZING** material dry or wet
- **SEPARATION** (of good product and particles to be eliminated)
- **WASHING**
- **CLASSIFYING**










ADVANCED VIBRATION TECHNOLOGY

## 6 | COMPLEMENT ROL® RANGE




**ROL HH with HAND-RAIL**

### HOOD OPTION :

- Fixed and tense PVC tarp
- PVC tarp with automatic or manual opening
- In boiler-steel

**ROL HG with VIBRATING COVER & HOPPER**



[www.chauvin.fr](http://www.chauvin.fr)

[info@chauvin.fr](mailto:info@chauvin.fr)

Phone : +33 (0)4 76 09 30 63

Fax : +33 (0)4 76 22 30 54

### Head Office

20 rue des Grands Champs

ZI La Rollandière

38360 SASSENAGE - FRANCE

### PO Box

BP 70015

38044 GRENOBLE CEDEX 9 - FRANCE

We remain at your disposal for any further information.  
CHAUVIN is a subsidiary of SINEX INDUSTRIE.